## Como corrigir o erro 'O aplicativo não pode ser aberto no Mac porque não foi baixado da App Store'?

Se você estiver tentando abrir aplicativos, poderá ver uma mensagem de erro que diz algo como: "AppName.app" não pode ser aberto porque não foi baixado da App Store.



Para corrigir a mensagem de erro 'App.app não pode ser aberto porque não foi baixado da App Store' no Mac, siga estas etapas:

- Vá para o menu Apple no canto superior esquerdo da tela e selecione "Preferências do Sistema".
- Na janela Preferências do Sistema, clique em "Segurança e Privacidade".

	< > iiii System Preferences					Q Search	
Apple ID, iCloud, Media & App Store						Apple ID	Family Sharing
Update Apple	ID Settings						Details
			-		Q		4
General	Desktop & Screen Saver	Dock & Menu Bar	Mission Control	Siri	Spotlight	Language & Region	Notifications
@	**		I	2	٢	1	
Internet Accounts	Users & Groups	Accessibility	Screen Time	Extensions	Security & Privacy		
6		*	a( <b>)</b> 1)				
Software Update	Network	Bluetooth	Sound	Printers & Scanners	Keyboard	Trackpad	Mouse
	<b>_</b>	9				J.	
Displays	Sidecar	Energy Saver	Date & Time	Sharing	Time Machine	Startup Disk	Profiles

## Selecione a guia "Geral".

Na seção "Permitir download de aplicativos de", você poderá ver diferentes opções. Por padrão, o macOS permite que aplicativos sejam baixados da App Store e identificados por desenvolvedores. Para permitir que o aplicativo seja executado, clique no ícone de cadeado no canto inferior esquerdo e digite sua senha de administrador, se solicitado.

• • • < > IIII Security & Privacy	Search
General FileVault Firewall Privacy	
A login password has been set for this user Change Password	
Require password immediately after sleep or screen saver	begins
Show a message when the screen is locked Set Lock Message	e
✓ Disable automatic login	
Allow apps downloaded from:	
App Store	
<ul> <li>App Store and identified developers</li> </ul>	
"TanseeiDevversal.pkg" was blocked from use because it is not from an identified developer.	Open Anyway
Click the lock to make changes.	Advanced ?

○ ● ○ 〈 〉 IIII Security & Privacy	
General FileVault Firewall Privacy	
A login password has been set for this user Change Password	
Allow System Preferences is trying to unlock Servivacy preferences. Enter your password to allow this. User Name: User Password: Cancel "TanseeiDevversal.pkg" was blocked from use because it is not an identified developer.	curity & Unlock
Authenticating	Advanced ?

Security & Privacy	Q Search
General       FileVault       Firewall       Privacy         A login password has been set for this user       Change Password         Require password       immediately       after sleep or screen s         Show a message when the screen is locked       Set Lock Me         Image: Open street is locked       Set Lock Me         Image: Open street is locked       Set Lock Me	saver begins ssage
Allow apps downloaded from: App Store App Store and identified developers "Tan <del>seciDevversal.pkg" was blocked from a</del> se because it is not fr an identified developer.	om Open Anyway
Click the lock to prevent further changes.	Advanced ?

Agora, escolha uma das seguintes opções:
 Se você quiser permitir aplicativos baixados de qualquer lugar, selecione "App Store e desenvolvedores identificados".
 Se você quiser restringir downloads de aplicativos apenas aos da App Store e aos desenvolvedores identificados, selecione "App Store".
 Depois de selecionar sua opção preferida, feche a janela Preferências do Sistema.

Tente abrir o aplicativo novamente. Agora ele deve ser executado sem exibir a mensagem de erro.

Ao ajustar as configurações de segurança do Mac, você resolveu o problema relacionado à execução de aplicativos que não foram baixados da App Store.

